

Building

Regulations Advisory Committee

Certificate of Accreditation

Amendment 1

Name of product:	Poly Render Polystyrene Cladding System
Product description:	Rendered polystyrene wall cladding system
Description of the purpose and use of the building product:	Suitable for use in Class 1 and Class 10 buildings
Regulation/s in relation to which the building product is accredited:	<p>The Building Regulations Advisory Committee appointed under Division 4 of Part 12 of the Building Act 1993 has examined the application and accredited the product as complying with;</p> <p>Performance Requirement P2.1.1 of Volume Two of the National Construction Code Series, P2.2.2 of Volume Two of the National Construction Code Series and P2.2.3 of Volume Two of the National Construction Code Series</p> <p>Building Code of Australia Class 1 and Class 10 buildings as adopted by the Building Regulations 2006 as these clauses apply within the State of Victoria to wall cladding subject to the following conditions:</p>
Conditions to which the accreditation is subject:	<ol style="list-style-type: none">1. This accreditation applies to Poly Render direct fixed cladding system only2. This product must be installed on Class 1 and 10 buildings only3. This product must be installed in wind classifications N1 to N4 only4. This product must be installed in accordance with the Poly Render Polystyrene Cladding System Technical Manual, dated 14 August 20145. This product must be installed on timber and steel framework only at a maximum stud spacing of 600mm and fastener spacing of 300mm6. This product must be installed with breathable sarking7. All fixtures and features attached to the wall must be secured into the wall framing8. This product must be installed a minimum of 75mm from any finished external ground surface9. Render must be applied strictly in accordance with manufacturer's installation requirements
The name, address and Australian business number of the holder of the accreditation:	<p>Chad Plaster and Facades P/L 1366 North Road OAKLEIGH SOUTH VIC 3167 ABN 62 084 143 206</p>
Certificate number:	V14/03-A1

Building

Regulations Advisory Committee

Date of issue: 06/12/2021

Refer to the Historical Details page of this Certificate.
This Certificate is only valid when reproduced in its entirety.

Date of expiry of accreditation: 06/12/2024

Signature:



.....
Commissioner Yvonne von Hartel AM
Chair, Building Regulations Advisory Committee

Practitioner guidance on how to use a Certificate of accreditation

Practitioners are reminded to consider any limitations noted in this Certificate and whether the performance of the product has been tested for all aspects of the performance that it is expected to achieve in the application it is being applied to.

Building

Regulations Advisory Committee

Historical Details

Certificate number:	Description:	From:	To:
V14/03	Accreditation granted.	04 December 2014	-
V14/03-A1	Reaccreditation granted for a period of 3 years. <ul style="list-style-type: none">- Accreditation granted for a period of 3 years- Condition 4 amended to include the date- Condition 8 amended to include the word "finished"	06 December 2021	06 December 2024