VICTORIAN BUILDING AUTHORITY

Part L: Experience Statement for **Fire Protection work.**

If you are applying to be registered in the Fire Protection class of plumbing work, use this form to tell us about your previous Fire Protection work.

In column 1

Tick each area of work that you have done, otherwise leave blank.

In columns 2 and 3

For the column 1 items that you ticked, identify how often you did the work (column 2), and when (column 3).

In column 4

Explain your exact role in undertaking the work that you describe in columns 2 and 3.

Remember

- Please include as much detail as possible, because the Victorian Building Authority (VBA) will use this statement to work out whether you have enough experience for registration.
- In your application, you will need to provide references to confirm you have completed this work.
- You must not (under section 221V of the *Building Act 1993*) give any false or misleading statement or information in your application.
- To meet the registration requirements, you don't need experience in all the work items listed in column 1. But you do need experience in most of them.
- The VBA will return your application if it is incomplete or doesn't have enough detail, and ask you for more information.

© State of Victoria, Victorian Building Authority (Published 2018)

	Column 1	Column 2	Column 3	Column 4
	What type of work have you done?	How many times have you done this type of work?	When did you do this work? Give the approximate dates.	What were your exact responsibilities? Please list them.
In relation to hose reels and hydrants				
☐	Fabricated and installed fire hydrant and hose reel systems	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +	*Month / Year*	
☐	Commissioned and certified fire hydrant and hose reel installations	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

☐	Tested fire hydrant and hose reel installations	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Carried out routine maintenance of fire hydrant and hose reel systems	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Repaired fire hydrant and hose reel systems	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

In relation to residential and domestic fire sprinkler systems				
☐	Installed residential and domestic fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Commissioned and certified residential and domestic fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Identified and analysed faults and maintenance issues in residential and domestic fire sprinkler systems, including the sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

☐	Inspected and tested residential and domestic fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Maintained and repaired residential and domestic fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
In relation to commercial and industrial fire sprinkler systems				
☐	Installed commercial and industrial fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

☐	Commissioned and certified commercial and industrial fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Identified and analysed faults and routine servicing and maintenance issues in commercial and industrial fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Inspected and tested commercial and industrial fire sprinkler systems (including basic and annual system testing), including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

☐	Maintained and repaired commercial and industrial fire sprinkler systems, including fire alarm interfaces and sprinkler control valves	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
In relation to fire system pumpsets				
☐	Installed and connected water pumpsets	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Commissioned and certified water pumpsets	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

☐	Inspected and tested fire pumpsets, including conducting water flow tests	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		
☐	Repaired and maintained fire pumpsets, including system interfaces	☐ 1 – 5 times ☐ 6 – 20 times ☐ 21 – 100 times ☐ 100 +		

Please continue to the next page.

Remember: The information provided in this form must be true and correct. It is an offence under section 221V of the *Building Act 1993* to give false or misleading information in relation to an application for registration, and this offence carries a maximum penalty of 50 penalty units.

I declare that the information contained in this form is complete and true to the best of my knowledge. And I understand that the VBA may make enquiries in order to verify any of the information I have given on this form and I consent for the information provided in this form to be shared with any other third party for that purpose.

Applicant name

Applicant signature

Date