

Certificate of Accreditation

| | |
|--|---|
| Name of product: | SCRAIL® SubLoc® Pro fasteners |
| Product description: | A screw and nail combination fastener. |
| Description of the purpose and use of the building product: | Used for fixing particleboard flooring to timber joists. The fastener can be shot into timber substrates using a pneumatic or machine driving tool. The fastener can be reversed out using a hand or powered screwdriver. It features a diamond adhesive coating for additional holding power. |
| Regulation/s in relation to which the building product is accredited: | <p>The Building Regulations Advisory Committee appointed under Division 4 of Part 12 of the Building Act 1993 has examined the application and accredited the product as complying with;</p> <p>Performance requirements relevant to the building product, as determined in accordance with the Building Code of Australia (BCA) Volume Two are H1P1 and Volume One are B1P1 and B1P2.</p> <p>The compliance solutions relevant to the performance requirements identified are:</p> <ol style="list-style-type: none">1. Deemed to satisfy provision – B1D4 (f), (i) & (ii), (k) and H1D6 (4) (a), (c), (d), (e) <p>Building Code of Australia Volume One Class 2-9 buildings and Volume Two Class 1 and Class 10 buildings, as adopted by the Building Regulations, as those clauses apply within the State of Victoria for use of particleboard flooring on timber frame structural substrates subject to the following conditions:</p> |
| Conditions to which the accreditation is subject: | <ol style="list-style-type: none">1. The product is restricted for use on particleboard flooring only.2. Installation must be in accordance with the SubLoc® Pro SCRAIL® Installation Instructions V03. |

Building

Regulations Advisory Committee

The name, address and Australian business number of the holder of the accreditation: Ideal Fasteners Pty Ltd
10-12 Ausco Place
DANDENONG SOUTH VIC 3175
ACN: 631 969 330


Certificate number: V24/02

Date of issue: 06 February 2024

Refer to the Historical Details page of this Certificate.
This Certificate is only valid when reproduced in its entirety.

Date of expiry of accreditation: 06 February 2027

Signature:



Heidi Smith
Acting Chair, Building Regulations Advisory Committee

Practitioner guidance on how to use a Certificate of accreditation.

Practitioners are reminded to consider any limitations noted in this Certificate and whether the performance of the product has been tested for all aspects of the performance that it is expected to achieve in the application it is being applied to.

This accreditation is only applicable for the State of Victoria.

Historical Details

| Certificate number: | Description: | From: | To: |
|---------------------|-----------------------|------------------|------------------|
| V24/02 | Accreditation granted | 06 February 2024 | 06 February 2027 |