

Building

Regulations Advisory Committee

Certificate of Accreditation

Amendment 1

Name of product:	STRAMIT UNIGUARD FIRE-RESISTING WALL SYSTEM
Product description:	External wall system
Description of the purpose and use of the building product:	Suitable for use as an external wall system for single storey Class 7b and 8 buildings of Type C construction, as defined in the Building Code of Australia, located within 3m of a fire source feature.
Regulation/s in relation to which the building product is accredited:	<p>The Building Regulations Advisory Committee appointed under Division 4 of Part 12 of the Building Act 1993 has examined the application and accredited the product as complying with;</p> <p>Performance Requirement CP1 and CP2(a)(iii) of Volume One of the Building Code of Australia, as adopted by the Building Regulations 2018 when installed in accordance with the following conditions:</p>
Conditions to which the accreditation is subject:	<ol style="list-style-type: none">1. The product must be installed in accordance with the conditions for use details provided in the following documents:<ul style="list-style-type: none">• Product Technical Manual, Stramit Uniguard Fire-Resisting Wall System, dated September 2009• Warrington Fire Australia Performance Report No. 2275300-RPT01, version 6, dated 03 October 2019• Drawing No. TL049, Revision B, dated 7 June 2005
The name, address and Australian business number of the holder of the accreditation:	<p>Stramit Building Products Site A, 33-83 Quarry Road ERSKIN PARK, NSW 2759 ABN: 57 005 010 195</p>
Certificate number:	V05/01-A1
Date of issue:	25/03/2022
Date of expiry of accreditation:	25/03/2025

Refer to the Historical Details page of this Certificate.
This Certificate is only valid when reproduced in its entirety.

Building

Regulations Advisory Committee

Signature:



Commissioner Yvonne von Hartel AM
Chair, Building Regulations Advisory Committee

Practitioner guidance on how to use a Certificate of accreditation

Practitioners are reminded to consider any limitations noted in this Certificate and whether the performance of the product has been tested for all aspects of the performance that it is expected to achieve in the application it is being applied to.

Historical Details

Certificate number:	Description:	From:	To:
V05/01	Accreditation granted	19 July 2005	-
V05/01-A1	Amendment to Certificate details: <ul style="list-style-type: none">• Reaccreditation granted for a period of 3 years• Reference to Building Regulations updated• Reference to product manual updated• Reference to product test report updated based on current version of NCC (2019)• Change of address of owner• New certificate number issued	25 March 2022	25 March 2025